

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
26 February 2004 (26.02.2004)

PCT

(10) International Publication Number
WO 2004/016670 A2

(51) International Patent Classification⁷:

C08G

(74) Agent: MOXON, George, W., II; Roetzel & Andress, 222
S. main Street, Akron, OH 44308 (US).

(21) International Application Number:

PCT/US2003/025661

(22) International Filing Date: 15 August 2003 (15.08.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/404,351

16 August 2002 (16.08.2002)

US

(71) Applicant (for all designated States except US): THE
UNIVERSITY OF AKRON [US/US]; 302 E. Buchtel
Common, Akron, OH 44325 (US).

Published:



— without international search report and to be republished
upon receipt of that report

(71) Applicants and

(72) Inventors: KENNEDY, Joseph, P. [US/US]; 510 St.
Andrew Street, Akron, OH 44303 (US). KURIAN, Pious
[US/US]; 685 Sherman Street, Apt. 11, Akron, OH 44311
(US).

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: POLY(CYCLOSILOXANE) COMPOSITON AND METHOD OF SYNTHESIS THEREOF



(57) Abstract: A poly(cyclosiloxane) network comprises the hydrosilation reaction product of a cyclosiloxane of the formula (I) wherein R and R² are the same or different for each siloxane moiety and are selected from the group consisting of hydrogen, an alkyl group, an aryl group, and a cycloalkyl group, and wherein n is an integer from 3 to 8, wherein the cyclosiloxanes are joined by moieties selected from the group consisting of oxygen atoms, linear silanols, branched silanols, halosilanes, alkoxy silanes, vinyl silanes, allyl silanes, vinyl siloxanes, and allyl siloxanes, wherein the Si-O bonds of the cyclosiloxanes are substantially unrearranged compared to the cyclosiloxane precursors of the network. A process for the preparation of a poly(cyclosiloxane) network comprises providing a cyclosiloxane; providing a crosslinking group selected from the group consisting of linear silanols, branched silanols, halosilanes, alkoxy silanes, vinyl silanes, allyl silanes, vinyl siloxanes, and allyl siloxanes; contacting the cyclosiloxane and crosslinking group under condensation reaction conditions such that the crosslinking groups provide Si-O-Si linkages between the cyclosiloxane moieties to form a poly(cyclosiloxane) network composition.